



AUTOMATIC HAND DRYERS

Top 10 Reasons to Consider ASI Hand Dryers

- 1. Energy Efficient**
- 2. Powerful** – Thorough and fast drying
- 3. Classic Styling** – Looks great in every washroom
- 4. Sanitary** – All are no-touch operation
- 5. Cost Efficient** – No paper towels, less trash disposal
- 6. More ADA-Compliant Models**
- 7. Multiple Models and Finishes** – More choices
- 8. Easy Installation** – Installs quickly with standard tools
- 9. Durable** – Backed by a warranty, up to 10 years
- 10. BAA Compliant** – All comply with the Buy American Act (BAA)



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com



AUTOMATIC HAND DRYERS

TURBO-Dri™ HIGH-SPEED HAND DRYERS



Decibel Level
Min: 59 dB-A @ 2M
Max: 72 dB-A @ 2M



0197 TURBO-Dri™ SURFACE-MOUNTED HIGH-SPEED AUTOMATIC HAND DRYER

White is standard if no color is indicated. Optional finishes: Bright or Satin Stainless Steel (see chart on back). 5-year warranty.



0119 TURBO-Dri™ Semi-Recess Kit

Semi-recess kit reduces protrusion to less than 4", meeting both ADAAG and CalDAG Barrier-Free requirements.

Wall Opening: 10 $\frac{3}{4}$ " x 16 $\frac{3}{8}$ " x 3 $\frac{3}{4}$ "
 (273 x 416 x 95 mm) (min)

Overall Dimensions: 8 $\frac{1}{16}$ " x 11 $\frac{19}{64}$ " x 7 $\frac{5}{64}$ "
 (205 x 287 x 180 mm)

ELECTRICAL SPECIFICATIONS:

Motor: 1 HP; 7 - 18 KRPM - Adjustable, brush type, dual ball bearings
 Voltage: 110 - 240 VAC, 50/60 Hz. 1.6 kW
 Heater: 400 - 900 Watts
 Current: 14.6 Amps @ 120 VAC
Dry Time: Approx. 12 seconds



Decibel Level
69 dB-A @ 2M

0198 TURBO-Dri™ JUNIOR SURFACE-MOUNTED HIGH-SPEED AUTOMATIC HAND DRYER

White is standard if no color is indicated. Optional finishes: Bright or Satin Stainless Steel (see chart on back). 5-year warranty.

Overall Dimensions: 9 $\frac{25}{32}$ " x 6 $\frac{5}{8}$ " x 5 $\frac{13}{32}$ " (248 x 168 x 138 mm)

ELECTRICAL SPECIFICATIONS:

Motor: $\frac{2}{3}$ HP - 2900 RPM - Brush type, dual ball bearings
 Voltage: 110 - 240 VAC, 50/60 Hz. 1.0 kW
 Heater: 500 Watts
 Current: 8.3 Amps @ 120 VAC; 4.2 Amps @ 240 VAC
Dry Time: Under 15 Seconds

ROVAL™ HIGH-SPEED HAND DRYER

20199 ROVAL™ RECESSED HIGH-SPEED AUTOMATIC HAND DRYER

This high performing hand dryer, with a drying time of less than 15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty.

Satin Stainless Steel (see chart on back).



Decibel Level
69 dB-A @ 2M

Wall Opening: (Conforms to ADA) 10 $\frac{1}{2}$ " x 15 $\frac{1}{8}$ " x 3 $\frac{1}{4}$ " (267 x 384 x 83 mm)

ELECTRICAL SPECIFICATIONS:

Motor: $\frac{2}{3}$ HP - 2900 RPM - Brush type, dual ball bearings
 Voltage: 110 - 240 VAC, 50/60 Hz. 1.0 kW
 Heater: 500 Watts
 Current: 8.3 Amps @ 120 VAC; 4.2 Amps @ 240 VAC
Dry Time: Under 15 Seconds

AUTOMATIC HAND DRYERS

ROVAL™ HAND DRYERS

0185 ROVAL™ STEEL COVER AUTOMATIC HAND DRYER WITH PORCELAIN ENAMEL FINISH

White is standard if no color is indicated.
Optional Colors: Grey, Black, Almond, Bright and Satin Stainless Steel (see chart on back).
Universal voltage. 10-year warranty.

0184 ROVAL™ SURFACE-MOUNTED AUTOMATIC HAND DRYER

277 VAC - 50/60 Hz. Ideal for school use.




Decibel Level
63 dB-A @ 2M



0195 ROVAL™ CAST IRON COVER AUTOMATIC HAND DRYER WITH PORCELAIN ENAMEL FINISH

White is standard if no color is indicated.
Optional Colors: Grey, Black, Almond (see chart on back). Universal voltage.
10-year warranty.



SURFACE-MOUNTED
4" DEEP ADA DRYERS

0184/0185 Overall Dimensions: 14⁷/₁₆" x 10¹³/₁₆" x 3¹⁵/₁₆" (367 x 275 x 100 mm)
0195 Overall Dimensions: 15³/₃₂" x 11⁷/₃₂" x 3¹⁵/₁₆" (383 x 285 x 100 mm)

ELECTRICAL SPECIFICATIONS:

Motor: ¼ HP - 7500 RPM - Brush type, dual ball bearings
Voltage: 100 - 240 VAC, 50/60 Hz, 1.7 - 2.2 kW
Heater: 1857 Watts
Current: 17.6 Amps @ 115 VAC
Dry Time: Under 25 Seconds

"Best New Product for 2009"
as chosen by Architectural Record.

FULLY RECESSED HAND DRYER

0133 FULLY RECESSED AUTOMATIC HAND DRYER

Fully recessed ADA-compliant hand dryer. Durable 14 gauge stainless steel cover has a satin finish and seamless design making it ideal for any washroom. Universal voltage. 10-year warranty.

Satin Stainless Steel (see chart on back).

Wall Opening: 14" x 16" x 4" (356 x 406 x 102 mm)

ELECTRICAL SPECIFICATIONS:

Motor: ¼ HP - 7500 RPM - Brush type, dual ball bearings
Voltage: 100 - 240 VAC, 50/60 Hz, 1.7 - 2.2 kW
Heater: 1857 Watts
Current: 17.6 Amps @ 115 VAC
Dry Time: Under 25 Seconds



Decibel Level
63 dB-A @ 2M

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

AUTOMATIC HAND DRYERS

PROFILE™ HAND DRYER

0165 PROFILE™ COMPACT AUTOMATIC HAND DRYER

White is standard if no color is indicated. Optional Color: Grey (see chart below). Universal voltage. 10-year warranty.

Overall Dimensions: (Conforms to ADA)
11 3/8" x 11 1/2" x 3 7/8" (289 x 285 x 99 mm)

ELECTRICAL SPECIFICATIONS:

Motor: 1/4 HP - 7500 RPM - Brush type,
dual ball bearings
Voltage: 100 - 240 VAC, 50/60 Hz, 1.4 - 1.8 kW
Heater: 1488 Watts
Current: 14.4 Amps @ 115 VAC
Dry Time: Under 30 Seconds

Decibel Level
64 dB-A @ 2M



PORCELAIR HAND & FACE DRYERS

0141 PORCELAIR AUTOMATIC HAND & FACE DRYER

110-120 VAC 17 Amps

0144 PORCELAIR AUTOMATIC HAND & FACE DRYER

208-240 VAC 11 Amps

Adjustable blower for drying hands and face. White is standard if no color is indicated. Optional Colors: Grey, Black and Almond (see chart below). 10-year warranty.

Overall Dimensions:
9 7/16" x 9 1/4" x 6 3/8" (240 x 245 x 162 mm)


ELECTRICAL SPECIFICATIONS:

Motor: 1/8 HP - 3150 RPM - Brushless type
dual ball bearings
Voltage: 100 - 240 VAC, 50/60 Hz, 1.6 - 2.1 kW
Heater: 1704 Watts
Current: 15 Amps @ 120 VAC
Dry Time: 20 - 25 Seconds


Decibel Level
60 dB-A @ 2M




FINISH/COLOR OPTIONS: White is standard if no color is indicated. (Printing limitations prohibit true color representation.)



40 Grey




41 Black



11 Almond



92 Bright
Stainless Steel



93 Satin
Stainless Steel

ASI GUARANTEE

Products are guaranteed to be free from defects in workmanship and material for a period of one year from date of purchase. Any products returned under this guarantee will be repaired or replaced at no charge.

